

## SUBJECT INDEX

Actinides	2.8	- in coupled systems	5.1, 8.4.1
ADC	7.3, 9.1	- in dimers	5.3.1, 5.3.2
Alkyl groups	2.3	- in heteronuclei	2.5
Amines	2.3	- in lanthanides	2.8.3
Aminotroponeimines	2.3	- in tetranuclear systems	5.4.2
Ammonia	2.3	Copper(II)	
Aniline	2.3	- ammonia	2.3
Aqua complexes	2.3, 3.4.1	- aqua	2.3, 3.4.1
		- cobalt(II) dimer	5.3.3
Benzylamide	2.3	- imidazole	2.3
Benzylamine	2.3	- nickel(II) dimer	5.3.3
Bipyridyl	2.3	Correlation function	3.2
Bloembergen equation	3.5	- time	3.2
Boltzmann population	1.5, 5.1	- , electronic	3.2
		- , exchange	3.2, 4.2
<sup>13</sup> C	2.3, 2.5, 8.4.1	- for contact coupling	3.2
- in amines	2.3	- for dipolar coupling	3.2
- in cyanide	2.5	- for electron relaxation	3.3.1
- in nickel(II) pyridine	2.3	COSY	7.1, 7.5, 9.4.2
- in nickel(II) pyridine <i>N</i> -oxide	2.3	- DQ	7.5
- in sp <sup>2</sup> fragments	2.5	- ISECR	7.1, 7.5
Chemical exchange	4.1	- magnitude	7.5, 9.4.2
- between two sites	4.2, 4.3	- phase sensitive	7.5, 9.4.2
- , temperature dependence	4.3.3	- ZQ	7.1, 7.5
Chemical shift	1.7.3	Cross correlation	7.8
Chloroform	1.7.3	- polarization	8.4.1
Chromium(III)		- relaxation	6.2
- aqua	2.3	Curie relaxation	3.6, 3.8, 7.8, 9.1.4
- pyridine	2.3	Cyano Met-myoglobin	2.3, 7.9
- pyridine <i>N</i> -oxide	2.3	Cytochrome c Met80Ala mutant	9.1.3
Cobalt(II)		- $\sigma'$	2.3
- ammonia	2.3	- $\sigma_3$	7.2, 7.4
- aqua	2.3, 3.4.1		
- copper(II) dimer	5.3.3	$\delta$	1.7.3
- dimer	5.3.1	DANTE	9.1.1
- imidazole	2.3	Density matrix	AV.3
- metallothioneins	5.4.2, 7.3	Diffusion	4.5.2
- nickel(II) dimer	5.3.3	Dipolar coupling	2.2.2
- zinc(II) dimer	5.3.1	- energy	1.1, 2.2.2, 6.2, All
Contact relaxation	3.5, 3.8		
- shift	2.2.1, All		

- relaxation 3.4, 3.8
- in dimers 5.2
- in lanthanides 3.4
  
- Electron relaxation 3.3
- mechanisms 3.3.1
- Enhancement factor 4.4.2
- Evans method 4.5.3
- EXSY 7.1, 7.2
- Eyring equation 4.3.3
  
- $^{19}\text{F}$  2.5, 8.2, 8.2.2
- Ferredoxins
  - $[\text{Fe}_2\text{S}_2]^{2+}$  5.3.2
  - $[\text{Fe}_2\text{S}_2]^+$  5.3.4
  - $[\text{Fe}_3\text{S}_4]^+$  5.4.1
  - $[\text{Fe}_4\text{S}_4]^{2+}$  5.4.3, 7.2
  - $[\text{Fe}_4\text{S}_4]^{3+}$  5.4.4, 6.2.3
  - $[\text{Fe}_4\text{S}_4]^+$  5.4.5, 7.2
  - $[\text{Fe}_3\text{NiS}_4]^+$  5.4.6
- FID 1.7.2, 6.1, 9.1
- Fourier transform 1.7.2, 3.2
  
- g* factor 1.2
- g* tensor 1.4
- g*-anisotropy 2.2, 3.3.1, 3.7
  
- $^2\text{H}$  2.3, 5.3.2
- relaxation 3.9
- solid state 8.3, 8.4
- Heisenberg Hamiltonian 5.1
- Hetcor 7.7, 9.5
- Heteronuclei 2.5, 7.7
- HMQC 7.7
- Hyperfine contact coupling 2.1, 2.2.1
- angular dependence 2.4
- in coupled systems 5.1
- in polycyclic systems 5.4
- in water nuclei 2.3
- Hyperfine shift 2.1
  
- Inversion recovery 1.7.4, 9.2
- Iron(II)
  - aqua 2.3
  - imidazole 2.3
  - intermediate spin 2.3
- Iron(III)
  - aqua 2.3, 3.4.1
  - imidazole 2.3
  - porphyrin 2.3, 2.6
- Iron in ferredoxins, dinuclear 5.3.2, 5.3.4
- , trinuclear 5.4.1
- , tetranuclear 5.4.3-5.4.5, 6.2.3, 7.2, 7.3, 7.6
- Iron sulfur proteins, high potential, oxidized 5.4.4, 6.2.3, 9.3
- reduced 5.4.3
- Iron, trinuclear 8.3
  
- Jahn-Teller effect 3.3.1
- J*-coupling, electronic 5.1, 8.4.1
- , nuclear 7.1, 7.5-7.7, AV
  
- Karplus relationship 2.4
  
- Lanthanides 2.8
- acetate 8.4.1
- aqua 2.3
- contact relaxation 3.5
- Curie relaxation 3.6
- dipolar relaxation 3.4
- contact shift 2.8.3
- pseudocontact shift 2.8.3
- Lattice 1.7.1
- Linewidth 1.7.4
  
- Magic angle sample spinning 8.1, 8.4
- Magnetic coupling 5.1
- field 1.1
- , effective 1.7.3
- moments 1.1
- , induced 1.6, 5.1
- of electrons 1.2, 1.4
- of nuclei 1.2, 1.3
- , orbital 1.4
- susceptibility 1.6
- tensor 2.2.2
- Magnetization 1.6
- Magnetogyric ratio 1.2
- Manganese(II)
  - ammonia 2.3
  - aqua 2.3, 3.4.1
- Metallothioneins 5.4.2, 7.3
- Met myoglobin
  - aqua 9.3
  - cyanide 2.3, 7.9
- MLEV17 7.1, 7.6
- Moment, second 8.2
  
- $^{14}\text{N}$  2.3
- in amine 2.3
- in picoline 2.3
- in pyridine 2.3

- <sup>15</sup>N
- in cyanide 2.5
  - relaxation 3.9
  - Neodymium(III) 8.3
  - Nickel(II)
  - amine 2.3
  - aminotroponcimate 2.3
  - ammonia 2.3
  - aniline 2.3
  - aqua 2.3, 3.4.1
  - bis(alkylxantate) 2.3
  - bis(salicylaldiminate) 2.3, 7.2, 7.3
  - phenolate 2.3
  - phosphate 2.3
  - pyridine 2.3
  - pyridine *N*-oxide 2.3
  - tri-iron 5.4.6
  - NOE 6.1, 9.3, AIV
  - in the rotating frame 6.5
  - measurements 9.3
  - steady state 6.2
  - transient 6.4, 9.4.1
  - truncated 6.3
  - NOE-NOESY 7.9, 9.4.1
  - NOESY 7.1, 7.3, 9.4.1
  - Nuclear properties AI
  - relaxation and rotation 3.1
  - - and chemical exchange 3.1
  - - and electron relaxation 3.1
  - - , dipolar coupling 3.4.1
- <sup>17</sup>O 2.3, 3.4.1
- Orbach relaxation mechanism 3.3.1
  - Orbital magnetic moment 1.4
  - Outer sphere relaxation 4.5.2
- Phenanthroline 2.3
- Phenylisonitrile 2.3
- Phosphine 2.3
- Phosphine *N*-oxide 2.3
- Picoline 2.3
- Porphyrines 2.3
- , tetraphenyl 2.3
- ppm 1.7.3
- Precession 1.2
- Presaturation 9.1.1
- Product operators AV.2
- Protoporphyrin IX 2.3
- Pseudocontact shifts 2.2.2
- , factorization 2.7, 2.8.4
  - in high spin iron(III) 2.6
  - in lanthanides 2.8.2
  - in low spin iron(III) 2.3
  - in metalloproteins 2.9
- Radicals 3.11, 3.12
- Raman relaxation mechanism 3.3.1
- R*<sub>1</sub> 1.7.1
- R*<sub>1ρ</sub> 1.7.4
- R*<sub>1ρM</sub> 3.4
- R*<sub>1e</sub> 3.3.1
- R*<sub>1M</sub> 3.4-3.6, 4.3.1, 5.2.1
- R*<sub>1ρ</sub> 4.3.2, 4.3.3
- R*<sub>2</sub> 1.7.1
- R*<sub>2e</sub> 3.3.1
- R*<sub>2M</sub> 3.4-3.6, 4.3.1, 5.2.1, 9.1.4
- R*<sub>2ρ</sub> 4.3.2, 4.3.3
- Relaxation and magnetic coupling 5.2
- and non selective experiments 3.13, 6.2.2, 9.2
  - and selective experiments 3.13, 6.2.2, 9.2
  - and temperature 3.10
  - , Curie 3.6, 9.1.4
  - , electronic 3.3
  - in heterodimers 5.2.2
  - , ligand centered 3.4.1
  - , nuclear 3.1, 3.4, 6.2
  - , outer sphere 4.5.2
  - , paramagnetic 4.3.2
- ROE 6.5
- ROESY 7.1, 7.4
- Rotating frame 1.7.1
- <sup>119</sup>Sn 8.4.2
- <S<sub>z</sub>>* 1.6, 2.1, 2.2.1, 5.1
- Salicylaldimines 2.3
- Saturation transfer 4.3.4, 7.2
- Shielding constant 1.7.3
- Shift
- bulk susceptibility 4.5.3
  - , contact 2.2.1, 2.5, 5.1, AII
  - , pseudocontact 2.2.2, AIII
  - reagents 2.8.5
- Simulation of spectra AV
- SOD
- , CoCo 5.3.3
  - , CuCo 5.3.3, 6.2.3
  - , CuCu 5.2.2
  - , CuNi 5.3.3
  - , CuZn 5.2.1
  - , ECo 5.3.3, 9.3
- Solomon equation 3.4
- Spectral density 3.2
- Spin density 2.1
- diffusion 6.2.3
  - eigenvalues 1.2

- |                          |                   |                           |          |
|--------------------------|-------------------|---------------------------|----------|
| - Hamiltonian            | 1.4               | Uranium trinuclear        | 8.4.1    |
| - lattice relaxation     | 1.7.1             |                           |          |
| - moments                | 1.2               |                           |          |
| - orbit                  | 1.4               | Vanadium(III) aqua        | 2.3      |
| - polarization           | 2.1               | Vanadyl(IV) aqua          | 2.3      |
| - rotation               | 3.3.1             | Van Vleck equation        | 1.6      |
| - $\pi$ -spin relaxation | 1.7.1             | Viscosity                 | 3.2, 3.6 |
| - wavefunctions          | 1.2               |                           |          |
| Superweft                | 9.1.3             |                           |          |
|                          |                   | Water complexes           | 2.3      |
| $\tau_c$                 | 3.2               | Watergate                 | 9.1.2    |
| $\tau_M$                 | 3.2, 4.2, 4.3.3   | Weft                      | 9.1.3    |
| $\tau_r$                 | 3.2               |                           |          |
| $\tau_s$                 | 3.2, 5.2.2        | $^{89}\text{Y}$           | 8.4.2    |
| $\tau_v$                 | 3.3.1             | Ytterbium porphinate      | 7.5      |
| $T_1$                    | 1.7.1, 6.2.2, 9.2 |                           |          |
| - , non-selective        | 3.13, 6.2.2, 9.2  | Zeeman operator           |          |
| - , selective            | 3.13, 6.2.2, 9.2  | - , electronic            | 1.4      |
| Tempol                   | 8.4               | - , nuclear               | 1.3      |
| Titanium(III) aqua       | 2.3               | ZFS                       | 1.4, 2.3 |
| TMS                      | 1.7.3             | - and electron relaxation | 3.3.1    |
| TOCSY                    | 7.1, 7.6          | - and nuclear relaxation  | 3.7      |
| - , clean                | 9.4.2             |                           |          |

